

RECEIVED
CENTRAL FAX CENTER**OCT 22 2008**

LESSLEY
Strand Orientation Alignment In
Strand Coating Systems And Methods"
Atty. Docket No. 14120

Appl. No. 10/623,294
Confirm. No. 4116
Examiner B. Lamb
Art Unit 1762

Claims 1-21 (Canceled).

22. (Previously Presented) A strand coating apparatus, comprising:

a module;

a fluid dispensing device having a fluid dispensing orifice, the fluid dispensing device coupled to an end of the module;

a plate coupled to a bottom of the module and extending beyond the end of the module to which the fluid dispensing device is coupled, the plate having an opening aligned with the fluid dispensing orifice,

a strand orienting pin protruding from a side of the plate opposite from a side of the plate on which the fluid dispensing device is located.

23. (Previously Presented) The apparatus of Claim 22,

a strand guide member coupled to the module;

the strand orienting pin located substantially between the strand guide member and the fluid dispensing orifice, the strand orienting pin offset relative to a path between the fluid dispensing orifice and the strand guide member.

24. (Previously Presented) The apparatus of Claim 23, the strand guide member includes a strand guide groove, the strand orienting pin offset relative to a path between the fluid dispensing orifice and the strand guide groove.

LESSLEY
Strand Orientation Alignment In
Strand Coating Systems And Methods"
Atty. Docket No. 14120

Appl. No. 10/623,294
Confirm. No. 4116
Examiner B. Lamb
Art Unit 1762

25. (Previously Presented) The apparatus of Claim 24, the fluid dispensing device is an adhesive dispensing device having an adhesive dispensing orifice.

26. (Previously Presented) The system of Claim 22, the strand orienting pin having an axial dimension substantially parallel to a direction of the fluid dispensing orifice, the strand orienting pin having a recessed side portion.

27. (Previously Presented) A system for applying coating materials onto a strand, the system comprising:

a fluid dispensing device having a fluid dispensing orifice from which fluid is dispensed,

a strand guide member coupled to the fluid dispensing device, the strand guide for guiding a strand drawn past fluid dispensing orifice;

a strand orienting pin located between the strand guide member and the fluid dispensing orifice so that a strand drawn from the strand guide member over the fluid dispensing orifice is engaged with the strand orienting pin,

a module,

a plate mounted on a bottom portion of the module and extending beyond an end portion of the module to which the fluid dispensing device is coupled, the plate having an opening aligned with the fluid dispensing orifice.

LESSLEY
Strand Orientation Alignment In
Strand Coating Systems And Methods"
Atty. Docket No. 14120

Appl. No. 10/623,294
Confirm. No. 4116
Examiner B. Lamb
Art Unit 1762

Claim 28 (Canceled).

29. (Previously Presented) The system of Claim 27, the strand orienting pin protruding from a side of the plate opposite from a side of the plate on which the fluid dispensing device is located.

30. (Previously Presented) The system of Claim 29, the strand guide member is a roller including a strand guide groove, the strand orienting pin offset relative to a path between the fluid dispensing orifice and the strand guide groove.

31. (Previously Presented) The system of Claim 27, the fluid dispensing device is an adhesive dispensing device.

Claim 32-34 (Canceled).